



Autonics

Sensors & Controllers



AUTONICS PRICE LIST 2023 - 2024

SENSORS

CONTROLLERS

MOTION DEVICES

Autonics

Certificate of Distributorship

This Certifies That

AG INDUSTRIAL SYSTEM

Is an authorized agent of Autonics products in the area of Egypt

All sensors & controllers

Valid January 1st, 2023 till December 31st, 2023

Autonics Corporation

Yongjin Park

SIGNED BY Y. J. PARK / PRESIDENT

Yong-Jin Park, President & CEO

AUTONICS CORPORATION

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo


Phone : 02 26784844 – 02 26784838 , mob: 01000305877

Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt

Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840

Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



Autonics

Certificate of Distributorship

This Certifies That

ALPHA GROUP

Is an authorized agent of Autonics products in the area of Egypt

All sensors & controllers

Valid January 1st, 2023 till December 31st, 2023

Autonics Corporation
Yongjin Park

SIGNED BY Y. J. PARK / PRESIDENT

Yong-Jin Park, President & CEO

AUTONICS CORPORATION

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



INDUCTIVE PROXIMITY SENSORS حساسات البروكسيمتي الحثي

Number	Model	Power & Wiring	Sensing Distance	Sensing Target	Output	Body Material and shape	Price L.E	
01	PR08-1.5DP	DC12-24 V – Standard 3 wire	1.5 mm	Iron	PNP NO	8 mm Sensing Diameter. Brass (Nickel Plated). Standard, Flush.	1550	
02	PR08-1.5DN				NPN NO		1550	
03	PR08-2DP		2 mm		PNP NO	8 mm Sensing Diameter. Brass (Nickel Plated). Standard, Non-flush.	1550	
04	PR08-2DN				NPN NO		1550	
05	PRL08-1.5DP		3 wire		1.5 mm	PNP NO	8 mm Sensing Diameter. Brass (Nickel Plated). Long, Flush.	1550
06	PRL08-1.5DN					NPN NO		1550
07	PRL08-2DP				2 mm	PNP NO	8 mm Sensing Diameter. Brass (Nickel Plated). Long, Non-flush.	1550
08	PRL08-2DN					NPN NO		1550
09	PR12-2AO	AC 100-240 V - Standard 2 wire	2 mm	Iron	NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1750	
10	PR12-2AC				NC		1750	
11	PR12-4AO		4 mm		NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-flush	1750	
12	PR12-4AC				NC		1750	
13	PRL12-2AO		2 mm		NO	12 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	1750	
14	PRL12-2AC				NC		1750	
15	PRL12-4AO		4 mm		NO	12 mm Sensing Diameter Brass (Nickel Plated) Long , Non- flush	1750	
16	PRL12-4AC				NC		1750	
17	PR12-2DP	DC12-24 V - Standard 3 wire	2 mm	Iron	PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1200	
18	PR12-2DN				NPN NO		1200	
19	PR12-4DP		4 mm		PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-flush	1200	
20	PR12-4DN				NPN NO		1200	

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



21	PR12-2DP2		2 mm	Iron	PNP NC	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1500
22	PR12-2DN2				NPN NC		1500
23	PR12-4DP2		4 mm		PNP NC	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-flush	1500
24	PR12-4DN2				NPN NC		1500
25	PRL12-2DP		2 mm		PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	1340
26	PRL12-2DN				NPN NO		1340
27	PRL12-4DP		4 mm		PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Long , Non-flush	1340
28	PRL12-4DN				NPN NO		1340
29	PRCM12-2DP	DC12-24 V – Connector	2 mm	Iron	PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	2000
30	PRCM12-2DN				NPN NO		2000
31	PRCM12-4DP		4 mm		PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	2000
32	PRCM12-4DN				NPN NO		2000
33	PRCM12-2DP2		2 mm		PNP NC	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	2000
34	PRCM12-2DN2				NPN NC		2000
35	PRCM12-4DP2		4 mm		PNP NC	12 mm Sensing Diameter Brass (Nickel Plated) , Standard, Non-flush	2000
36	PRCM12-4DN2				NPN NC		2000
37	PRCML12-4DN	4 mm	NPN NO	12 mm Sensing Diameter Brass (Nickel Plated) Long , Non-flush	2200		
38	PRCML12-4DP2		PNP NC		2200		
39	PRCML12-2DP2	DC12-24 V - Connector	2 mm	Iron	PNP NC	12 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	2200
40	PRCML12-2DN2				NPN NC		2200
41	PRD12-8DP	DC12-24 V - Standard 3 wire	8 mm	Iron	PNP NO	12 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	1750
42	PRD12-8DN				NPN NO		1750
43	PRT12-2DO		2 mm	Iron	NO	12 mm Sensing Diameter	1400

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



44	PRT12-2DC	DC12-24 V - Standard 2 wire	4 mm	Iron	NC	Brass (Nickel Plated) Standard , Flush	1500
45	PRT12-4DO				NO	12 mm Sensing Diameter Brass (Nickel Plated)	1400
46	PRT12-4DC				NC	Standard , Non-Flush	1500
47	PRT12-5DO				NO	12 mm Sensing Diameter Brass (Nickel Plated)	1400
48	PRT12-5DC		NC		Standard , Flush	1500	
49	PRT12-8DO		NO		12 mm Sensing Diameter Brass (Nickel Plated)	1400	
50	PRT12-8DC		NC		Standard , Non-Flush	1500	
51	PR18-5AO		AC 100-240 V - Standard 2 wire		5 mm	NO	18 mm Sensing Diameter Brass (Nickel Plated)
52	PR18-5AC	NC		Standard , Flush		1750	
53	PR18-8AO	8 mm		NO	18 mm Sensing Diameter Brass (Nickel Plated)	1750	
54	PR18-8AC			NC	Standard , Non-Flush	1750	
55	PRL18-5AO	5 mm		NO	18 mm Sensing Diameter Brass (Nickel Plated)	2000	
56	PRL18-5AC			NC	Long , Flush	2000	
57	PRL18-8AO	8 mm		NO	18 mm Sensing Diameter Brass (Nickel Plated)	2000	
58	PRL18-8AC			NC	Long , Non-Flush	2000	
59	PR18-5DP	DC12-24 V - Standard 3 wire	5 mm	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1200	
60	PR18-5DP2			PNP NC		1500	
61	PR18-5DN			NPN NO		1200	
62	PR18-5DN2			NPN NC		1500	
63	PR18-8DP	DC12-24 V - Standard 3 wire	8 mm	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	1200	
64	PR18-8DP2			PNP NC		1500	
65	PR18-8DN			NPN NO		1200	
66	PR18-8DN2			NPN NC		1500	
67	PRD18-14DP	DC12-24 V - Standard 3 wire	14 mm	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated)	1750	
68	PRD18-14DN			NPN NO		Long , Non-Flush	1750

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



69	PRL18-5DP		5 mm	Iron	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	1340		
70	PRL18-5DN				NPN NO		1340		
71	PRL18-8DP		8 mm		PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Long , Non-Flush	1340		
72	PRL18-8DN				NPN NO		1340		
73	PRCM18-5DP	DC12-24 V – Connector	5 mm	Iron	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	2000		
74	PRCM18-5DN				NPN NO		2000		
75	PRCM18-8DP		8 mm		PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	2000		
76	PRCM18-8DN				NPN NO		2000		
77	PRCM18-5DP2		5 mm		PNP NC	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	2000		
78	PRCM18-5DN2				NPN NC		2000		
79	PRCM18-8DP2		8 mm		PNP NC	18 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	2000		
80	PRCM18-8DN2				NPN NC		2000		
81	PRCML18-5DP		DC12-24 V - Connector		5 mm	Iron	PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	2200
82	PRCML18-5DN						NPN NO		2200
83	PRCML18-8DP				8 mm		PNP NO	18 mm Sensing Diameter Brass (Nickel Plated) Long , Non-Flush	2200
84	PRCML18-8DN						NPN NO		2200
85	PR30-10AO	AC 100-240 V - Standard 2 wire	10 mm	Iron	NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1750		
86	PR30-10AC				NC		1750		
87	PR30-15AO		15 mm		NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	1750		
88	PR30-15AC				NC		1750		
89	PRL30-15AO		15 mm		NO	30 mm Sensing Diameter Brass (Nickel Plated) Long , Non-Flush	2000		
90	PRL30-15AC				NC		2000		
91	PRL30-10AO		10 mm		NO	30 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	2000		
92	PRL30-10AC				NC		2000		

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



93	PR30-10DP	DC12-24 V - Standard 3 wire	10 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	1400
94	PR30-10DP2				PNP NC		1600
95	PR30-10DN				NPN NO		1400
96	PR30-10DN2				NPN NC		1600
97	PR30-15DP	DC12-24 V - Standard 3 wire	15 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	1400
98	PR30-15DP2				PNP NC		1600
99	PR30-15DN				NPN NO		1400
100	PR30-15DN2				NPN NC		1600
101	PRL30-10DP	DC12-24 V - Standard 3 wire	10 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	1600
102	PRL30-10DN				NPN NO		1600
103	PRL30-10DP2				PNP NC		2000
104	PRL30-10DN2				NPN NC		2000
105	PRL30-15DP	DC12-24 V - Standard 3 wire	15 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Long , Non-Flush	1600
106	PRL30-15DN				NPN NO		1600
107	PRL30-15DP2				PNP NC		2000
108	PRL30-15DN2				NPN NC		2000
109	PRCM30-10DP	DC12-24 V - Connector	10 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Flush	2200
110	PRCM30-10DN				NPN NO		2200
111	PRCM30-10DP2				PNP NC		2400
112	PRCM30-10DN2				NPN NC		2400
113	PRCM30-15DP	DC12-24 V - Connector	15 mm	Iron	PNP NO	30 mm Sensing Diameter Brass (Nickel Plated) Standard , Non-Flush	2200
114	PRCM30-15DN				NPN NO		2200
115	PRCM30-15DP2				PNP NC		2400

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



116	PRCM30-15DN2	DC12-24 V - Connector	10 mm	Iron	NPN NC	30 mm Sensing Diameter Brass (Nickel Plated) Long , Flush	2400
117	PRCML30-10DP				PNP NO		2400
118	PRCML30-10DN				NPN NO		2400
119	PRCML30-10DP2				PNP NC		2800
120	PRCML30-10DN2				NPN NC		2800
121	PRCML30-15DP				PNP NO		2400
122	PRCML30-15DN		15 mm	Iron	NPN NO	30 mm Sensing Diameter Brass (Nickel Plated) Long , Non-Flush	2400
123	PRCML30-15DP2				PNP NC		2800
124	PRCML30-15DN2				NPN NC		2800
125	PSN17-8DP				PNP NO		870
126	PSN17-8DN		DC12-24 V Standard 3 wire	8 mm	NPN NO	17 *17 mm , Heat resist ABS , Square Shape,front sense.	870
127	PSN17-5DP				PNP NO		870
128	PSN17-5DN	5 mm		NPN NO	870		
129	PSN17-8DNU	8 mm		NPN NO	1200		
130	PSN17-8DPU	DC12-24 V Standard 3 wire	8 mm	PNP NO	30 *30 mm , Heat resist ABS , Square Shape,front sense	1200	
131	PSN17-5DN2U			5 mm		NPN NC	1400
132	PSN17-5DP2U		PNP NC	1400			
133	PSN30-15DN		DC12-24 V Standard 3 wire	15 mm		NPN NO	80 *80 mm , Heat resist ABS , Square Shape,upper sense
134	PSN30-15DP	PNP NO			1600		
135	AS80 – 50DN3	DC12-48 V Standard 4 wire	50 mm	NPN NO	Built-in 12 vdc power supply	7000	
136	AS80 – 50DP3			PNP NO		7000	
137	PA-12	110/220 vac	Power amplifier	Relay		3690	

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG










حساسات البروكسيميتي السعوى CAPACITIVE PROXIMITY SENSORS

Number	Model	Power & Wiring	Sensing Distance	Sensing Target	Output	Body Material and shape	Price L.E
01	CR18-8AO	AC 100-240 V - Standard 2 wire	8 mm	Capcitive materials	NO	18 mm Sensing diameter Heat resist ABS Standard	2700
02	CR18-8AC				NC		3000
03	CR18-8DP	DC12-24 V - Standard 3 wire	8 mm	Capcitive materials	PNP NO	18 mm Sensing diameter Heat resist ABS Standard	2540
04	CR18-8DN				NPN NO		2900
05	CR18-8DP2				PNP NC		3200
06	CR18-8DN2				NPN NC		3200
07	CR30-15AO	AC 100-240 V - Standard 2 wire	15 mm	Capcitive materials	NO	30 mm Sensing diameter Brass (Nickel Plated) Standard	2700
08	CR30-15AC				NC		3000
09	CR30-15DP	DC12-24 V - Standard 3 wire	15 mm	Capcitive materials	PNP NO	30 mm Sensing diameter Brass (Nickel Plated) Standard	2540
10	CR30-15DN				NPN NO		2900
11	CR30-15DP2				PNP NC		3200
12	CR30-15DN2				NPN NC		3200

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



			
FLUSH – STANDARD CABLE	FLUSH – CONNECTOR	NON FLUSH – STANDARD CABLE	NON FLUSH – CONNECTOR
			
SQUARE FRONT SENSE	SQUARE UPPER SENSE	CABLE - CONNECTOR	PNP - NPN

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



PHOTO CELLS الخلايا الضوئية								
Number	Model	Power & Wiring	Sensing Type	Sensing distance	Sensing target	Output	Operation mode & Others	PRIC E L.E.
01	BEN300 - DDT	10 ~ 30 Vdc - Standard 4 wire	Diffuse reflective	300 mm	Opaque material	NPN PNP	-Dark ON / Light ON By Switch. - Sensitivity adj. by VR.	2750
02	BEN300 - DFR	24 ~ 240 Vac/Vdc Standard 5 wires				Relay		3100
03	BEN5M - MFR	24 ~ 240 Vac/Vdc Standard 5 wires	Retroreflective	5 M	Opaque material	Relay	-Dark ON / Light ON By Switch. - Sensitivity adj. by VR.	2900
04	BEN5M - MDT	10 ~ 30 Vdc - Standard 4 wire				NPN PNP		3300
05	BEN10M - MDT	24/240Vdc/ac , 3wire Receive,2wire Send	Through beam	10 M	Opaque material	Relay	-Dark ON / Light ON By Switch. - Sensitivity adj. by VR. -	4700
06	BJ15M - TDT			15 M		NPN		4700
07	BJ15M – TDT - P			PNP		4700		
08	BJ1M - DDT			5 M		NPN		-Dark ON / Light ON By Switch. - Sensitivity adj. by VR.
09	BJ1M – DDT - P	PNP	3600					
10	BJ3M - PDT	10 ~ 30 Vdc Standard 4 wire	Polarized-retroreflective	3 M	Opaque material	NPN	-Dark ON / Light ON By Switch. - Sensitivity adj. by VR.	4000
11	BJ3M – PDT - P					PNP		4000

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



12	BJ3M-PDT- P - C	10 ~ 30 Vdc 8mm connector				PNP		4500	
13	BRQM100 - DDTA	10 ~ 30 Vdc Standard 4 wire	Diffuse reflective	100 mm	Opaque material	NPN	-Metal body, dia 18mm -Dark ON & Light ON By Wire -Sensitivity VR.	3300	
14	BRQM100 – DDTA - P					PNP		3300	
15	BRQM400 - DDTA					NPN		3300	
16	BRQM400 – DDTA - P					PNP		3300	
17	BRQM20M-PDTA	10~30 Vdc, 3wire Receive, 2wire Send	Through beam	20 M	Opaque material	NPN	-Metal body, dia 18mm -Dark ON & Light ON By Wire -Sensitivity VR.	4700	
18	BRQM20M-PDTA-P					PNP		4700	
19	BRQM3M – PDTA	10 ~ 30 Vdc - Standard 4 wire	Retroreflective	3 M	Opaque material	NPN	-Metal body, dia 18mm -Dark ON & Light ON By Wire -Sensitivity VR.	4100	
20	BRQM3M – PDTA -P					PNP		4100	
21	BJ100-DDT	DC12-24 V - Standard 3 wire	Diffuserreflective	100 mm	Opaque translu- cent material	NPN	-Dark ON/Light ON By Switch. -Sensitivity adj. by VR.	3400	
22	BJ100-DDT-P					PNP		3400	
23	BJ300-DDT					300 mm		NPN	3600
24	BJ300-DDT-P					300 mm		PNP	3600

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



25	BS5-K2M	5 ~ 24 Vdc – Connector type	Through beam	5 mm	Opaque material	NPN	Dark ON & Light ON By Wire	580
26	BS5-L2M			5 mm				580
27	BS5-V2M			5 mm				580
28	BS5-Y2M			5 mm				580
29	BUP-30	12 ~ 24 Vdc – Standard 4 wire	Through beam	30 mm	Opaque material	NPN	Dark ON & Light ON By Wire	3400
30	BUP-30-P			30 mm				3400
31	BUP30-S			30 mm				3600
32	BUB30-S-P			30 mm				3600
33	BUP50-S	12 ~ 24 Vdc – Standard 4 wire	Through beam	50 mm	Opaque material	NPN	Dark ON & Light ON By Wire	4000
34	BUB50-S-P			50 mm				4000
35	BX700-DFR	24 ~ 240 Vac/Vdc No cable	Diffuse reflective	700 mm	Opaque material	Relay	-Dark ON/Light ON By Switch. - Sensitivity adj. by VR.	4800
36	BX700-DFR-T			5 M				5400
37	BX5M-MFR		Retror reflecti ve	5 M				4800

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



38	BX5M-MFR-T						-Dark ON/Light ON By Switch. -Sensitivity adj. by VR. -Timer function	5400
39	BTF15-BDTL	12 ~ 24 Vdc – Standard 3 wire	Diffuse reflective	15 mm	Opaque material	NPN NO	-	6260
40	NEW BTF15-BDTL - P					PNP NO	-	6260
41	NEW BC15-LDT-C	12 ~ 24 Vdc 8 mm Connector	Convergent reflective	15 mm	Opaque material	NPN NO	Full Color intensity detection	22000
42	BC15-LDT-C-P					PNP NO		24000
43	BA2M-DDT	12 ~ 24 Vdc - Standard 3 wire	Diffuse reflective	2 M	Opaque material	NPN	-Dark ON/Light ON By Switch. -Sensitivity adj. by VR.	4000
44	BA2M-DDT-P					PNP		4000
45	BL13-TDT	12 ~ 24 Vdc - Standard 3 wire	Through beam	6-13 mm	Liquids	NPN NO	Pipe liquid level Sensor	8140
46	BL13-TDT-P					PNP NO		8140
47	BMS2M-MDT	12 ~ 24 Vdc - Standard 4 wire	Retroref_lective	2 M	Opaque material	NPN	-Dark ON/Light ON By Switch. -Sensitivity adj. by VR.	3300
48	BMS2M-MDT-P					PNP		3300
49	MS2	Standard reflector , 4 X 6 Cm.						320

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



BJ3M	CONNECTOR	METAL BODY PHOTO.	PHOTO CELLS





BS3/4/5 series Photomicro Sensors	RETRO REFLECTIVE PHOTOCELL	THROUGH BEAM	Color Sensor
BUP30S THROUGH BEAM	RETRO REFLECTIVE PHOTOCELL	BTF15-BDTL-P	DIFFUSE REFLECTIVE
BA2M	BJR10M	BJ300	BRQ - SERIES

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
 Phone : 02 26784844 – 02 26784838 , mob: 01000305877
 Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
 Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
 Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



FIBER AMPILIFIERS & SENSORS					
NO	Model	Power & Wiring	Description	Output	PRICE L.E.
01	BF3RX	12 ~ 24 Vdc - Standard 4 wire	Dark ON & Light ON Set By Wire Sensitivity VR & fine VR	NPN	3200
02	BF3RX-P			PNP	3200
03	BF5R-D1-N	12 ~ 24 Vdc Socket	Dual 4-digit display fiber optic amplifier Selectable light on dark on Sensitivity manual/ teaching setting Built in timer functions	NPN	8500
04	BF5R-D1-P			PNP	8500
05	FT-420-10	Standard plastic - through beam type fiber cable – 4mm Head – 2 m cable – 1mm diameter			2100
06	FD-620-10	Standard plastic - Diffuse reflective type - 6mm Head – 2 m cable – 1mm diameter			2300

			
BF - FAMILY	FIBER AMPLIFIER	FIBER SENSOR	BF3 SERIES

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



ANALOG AND DIGITAL TIMERS

No.	Model	POWER AND CONNECTION	Specification	Price L.E
01	AT8N	100 TO 240 VAC 24 to 240 VDC 8-Pin Plug Type W48*H48	Multifunction Multirange Analog Timer Time Limit Contact 2C Time Limit / Instantaneous contact 1C By Selecting operation mode.	1200
02	AT8N-1	12 VDC 8-Pin Plug Type W48*H48		1400
03	AT8N-2	24 VDC 8-Pin Plug Type W48*H48		1400
04	AT8SDN	100 TO 240 VAC 24 to 240 VDC 8-Pin Plug Type W48*H48	Star Delta Timer Power On Start Type 100 SEC Range	1800
05	AT11DN	100 TO 240 VAC 24 TO 240 VDC 11_Pin Plug Type W48*H48	Multifunction Multirange Analog Timer Time Limit Contact 2C Time Limit / Instantaneous contact 1C By Selecting operation mode. Start, Reset and Inhibit Pins . Off delay mode available.	1300
06	AT11DN-1	12 VDC 11-Pin Plug Type W48*H48		1400
07	AT11DN-2	24 VDC/VDC 11-Pin Plug Type W48*H48		1400
08	ATE-30S	110 / 220 VAC W48*H48	30 Sec Power On Delay Analog Timer	800
09	ATE-60S	110 / 220 VAC W48*H48	60 Sec Power On Delay Analog Timer	800

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



10	ATE-60M	110 / 220 VAC W48*H48	60 Min Power On Delay Analog Timer	800
11	ATE8-41D	100 TO 240 VAC 24 to 240 VDC 8_Pin Plug Type W48*H48	Multifunction Multirange Analog Timer Time Limit Contact 2C Time Limit / Instantaneous contact 1C By Selecting O/P Operation mode .	950
12	LE4S	24 to 240 VAC 24 to 240 VDC W48*H48	Multirange , Multi Operation 4 Digit Digital Timer Reset, Start and Inhibit Inputs 1C Output Relay.	3950
13	LE4SA	24 TO 240 VAC 24 TO 240 VDC W48*H48	Multirange , Multi Operation 4 Digit Digital Timer Reset, Start and Inhibit Inputs Time Limit Contact 1C Time Limit / Instantaneous contact 1C By Selecting O/P Operation mode .	3950
14	LE7M-2	100 TO 240 VAC W72*H72	48 Steps Weekly / 24 Steps Yearly Digital Timer , ON/OFF , and Pulse Modes Of Operation	5000
15	LE8N-BF	Built In Battery , Approx. 7 Years	8 Digit Small Timer - Free Input Voltage 6 to 240 VDC and 24 TO 240 VAC	3000
16	LE8N-BN	Built In Battery , Approx. 7 Years	8 Digit small timer – no voltage input.	3000
17	ATS8W-41	100 TO 240 VAC 24 TO 240 VDC W38*H42	Compact twin analog timer – Multirange –Power on start – 8 pin – time limit DPDT or instantaneous SPDT (1c) + time limit SPDT depends on operation mode .	1800
18	ATS11W-41	100 TO 240 VAC 24 TO 240 VDC W38*H42	Compact twin analog timer – Multirange –Power on start – 8 pin – time limit DPDT or instantaneous SPDT (1c) + time limit SPDT depends on operation mode .	1800

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



			
LE4S	ATS8	ATM4	LE7M-2

			
ATE8	LE8N	ATS11W	AT11

			
CT6 - SERIES	FX SERIES	CT6M	CT6Y

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



MULTIFUNCTION COUNTER / TIMERS				
No.	Model	POWER AND SIZE	Description	Price L.E
01	CT6S-1P4	100 TO 240 VAC W48*H48	6 Digit Counter/Timer-up, down & up/down – NPN, PNP & non voltage input – Single Preset -relay O/P+NPN O/P .	4200
02	CT6Y-1P4	100 TO 240 VAC W72*H36		4600
03	CT6M-1P4	100 TO 240 VAC W72*H72		5100
04	CT6S-1P2	24VAC~ 50/60Hz 24-48VDC W48*H48		5200
05	CT6S-2P4	100 TO 240 VAC W48*H48	6 Digit Counter/Timer-up, down & up/down – NPN, PNP & non voltage input - dual Preset -relay O/P+NPN O/P - batch counter.	5750
06	CT6M-2P4	100 TO 240 VAC W72*H72		6750
07	FX4S-1P4	100 TO 240 VAC W48*H48	4 Digit Counter/Timer-up,down & up/down – NPN, PNP & non voltage input - Single Preset -relay O/P+NPN O/P .	4950
08	FX4S-1P2	24VAC~ 50/60Hz 24-48VDC W48*H48		5200
09	FX6M	212~24 VAC~ 50/60Hz 12-24 VDC W72*H72		6250
10	LA8N-BF	Built In Battery , Approx. 7 Years	8 Digit Count Up/Down Counter – Free Input Voltage 6 TO 240 VDC and 24 TO 240 VAC	3100
11	LA8N-BN	Built In Battery , Approx. 7 Years	8 Digit Count Up/Down Counter –No Voltage Input	3100

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



TEMPERATURE CONTROLLERS

Number	Model	Power and Dimensions	Sensor type and range	Description	Price L.E
01	TAS-B4RP2C	100 to 240 Vac W 48 X H 48 mm	PT100 200C°	Dial Setting - Relay O/P ON/OFF + PID Combined Control	1700
02	TAS-B4RJ4C	100 to 240 Vac W 48 X H 48 mm	J 400 C°		1700
03	TAS-B4RKCC	100 to 240 Vac W 48 X H 48 mm	K 1200 C°		1700
04	TAM-B4RP2C	100 to 240 Vac W 72X H 72 mm	PT100 200C°		2000
05	TAM-B4RJ4C	100 to 240 Vac W 72X H 72 mm	J 400 C°		2000
06	TAM-B4RKCC	100 to 240 Vac W 72X H 72 mm	K 1200 C°		2000
07	TAL-B4RP2C	100 to 240 Vac W 96 X H 96 mm	PT100 200 C°		2000
08	TAL-B4RJ4C	100 to 240 Vac W 96 X H 96 mm	J 400 C°		2000
09	TAL-B4RKCC	100 to 240 Vac W 96 X H 96 mm	K 1200 C°		2000
10	TC4Y-14R	100 to 240 VAC W 72 X H 36 mm	Multi Sensor & Range	Economic - 4 Digit - O/P SSR or Relay - 1 Alarm - ON/OFF & PID Control	2700
11	TC4S-14R	100 to 240 Vac W 48 X H 48 mm			2550
12	TC4M-14R	100 to 240 Vac W 72X H 72 mm			2800
13	TC4L-14R	100 to 240 VAC W 96 X H 96 mm			2900
14	TC4H-14R	100 to 240 VAC W 48 X H 96 mm	Multi Sensor & Range	Economic - 4 Digit - O/P SSR or Relay - 1 Alarm - ON/OFF & PID Control	2900
15	TC4W-14R	100 to 240 VAC W 96 x H 48 mm			3200
16	TC4S-24R	100 to 240 Vac W 48 X H 48 mm	Multi Sensor & Range	Economic - 4 Digit - O/P SSR or Relay - 2 Alarm - ON/OFF & PID Control	2900
17	TC4M-24R	100 to 240 Vac W 72 x H 72 mm			3200

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo

Phone : 02 26784844 – 02 26784838 , mob: 01000305877

Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt

Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840

Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



18	TC4L-24R	100 to 240 VAC W 96 x H 96 mm			3300		
19	TC4H-24R	100 to 240 VAC W 48 x H 96 mm			3300		
20	TC4W-24R	100 to 240 VAC W 96 x H 48 mm			3500		
21	TC3YF-14R	100 TO 240 VAC W 72 x H 36 mm	(NTC) -40/99 C°	Economic - 4 Digit - O/P SSR or Relay - 1 Alarm - ON/OFF & PID Control	2600		
22	TC3YT-B4R16	100 TO 240 VAC W 72 x H 36 mm	K J PT100	Economic - 4 Digit - O/P SSR or Relay - 2 Alarm - ON/OFF & PID Control	2900		
23	TCN4S-22R	24 VAC 24 to 48 VDC W48 X H48 mm	Multi Sensor & Range	Economic - dual 4 Digit display - O/P SSR or Relay - 2 Alarm - ON/OFF & PID Control	3300		
24	TCN4S-24R	100 to 240 Vac W48XH48 mm			3100		
25	TCN4M-22R	24 VAC 24 to 48 VDC W72 X H72 mm			3800		
26	TCN4M-24R	100 to 240 Vac W72XH72 mm			3500		
27	TCN4L-22R	24 VAC 24 to 48 VDC W96 X H96 mm			4000		
28	TCN4L-24R	100 to 240 Vac W96 X H96 mm			3800		
29	TCN4H-22R	24 VAC 24 to 48 VDC - W48 X H96 mm			4000		
30	TCN4H-24R	100 to 240 Vac W96 X H96 mm			Multi Sensor & Range	Economic - dual 4 Digit display - O/P SSR or Relay - 2 Alarm - ON/OFF & PID Control	3800
31	TK4S – 24RR	100 to 240 Vac W 48 x H 48 mm			Multi Sensor , Range & Analog	Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control .	5500
32	TK4S – 24RC					Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control ..	5500
33	TK4S – 24CC		Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control .	5500			

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



34	TK4S – T4RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control + RS485 communication .	6500
35	TK4S – T4RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control + RS485 communication.	6500
36	TK4S – T4CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control+ RS485 communication.	6500
37	TK4M – 24RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control .	6400
38	TK4M – 24RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control ..	6400
39	TK4M – 24CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control .	6400
40	TK4M – T4RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control + RS485 communication .	7250
41	TK4M – T4RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control + RS485 communication.	7250
42	TK4M – T4CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control+RS485 communication.	7250
43	TK4H – 24RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control .	7250
44	TK4H – 24RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control ..	7250
45	TK4H – 24CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control .	7250
		100 to 240 Vac W 72X H 72 mm	Multi Sensor , Range & Analog		
		100 to 240 Vac W 72X H 72 mm	Multi Sensor , Range & Analog		
		100 to 240 Vac W 48 X H 96 mm	Multi Sensor , Range & Analog		

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



46	TK4H – T4RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control + RS485 communication .	8000
47	TK4H – T4RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control + RS485 communication.	8000
48	TK4H – T4CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control+ RS485 communication.	8000
49	TK4L – 24RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control .	7250
50	TK4L– 24RC	100 to 240 Vac W 96 X H 96 mm	Multi Sensor , Range & Analog	Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control ..	7250
51	TK4L – 24CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control .	7250
52	TK4L – T4RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control + RS485 communication .	8000
53	TK4L – T4RC	100 to 240 Vac W 96 X H 96 mm	Multi Sensor Range & Analog	Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control + RS485 communication.	8000
54	TK4L – T4CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control+ RS485 communication.	8000
55	TK4W – 24RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control .	8000
56	TK4W – 24RC	100 to 240 Vac W 96 X H 48 mm	Multi Sensor , Range & Analog	Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control ..	8000
57	TK4W – 24CC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF , PI , PD & PID Control .	8000

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo

Phone : 02 26784844 – 02 26784838 , mob: 01000305877

Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG


Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt

Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840

Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



58	TK4W – T4RR			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is relay , ON/OFF , PI , PD & PID Control + RS485 communication .	9000
59	TK4W – T4RC			Advanced dual 4 digit display , 2 output Alarm , Output1 is Relay, Output2 is Current/SSR , ON/OFF , PI , PD & PID Control + RS485 communication.	9000
60	TK4W – T4CC			Advanced dual 4 digit display , 2 output Alarm ,Output1 is Current/SSR , Output2 is Current/SSR , ON/OFF, PI, PD &PID Control+ RS485 communication.	9000
61	TD4M- 14R	100 to 240 Vac W72XH72 mm	Multi Sensor & Range	Digital Display- Digital Setting Keys - O/P Relay/SSR - 1 Alarm - ON/OFF, P,PI,PD & PID Control .	3600
62	TD4H- 14R	100 to 240 Vac W96 X H96 mm	Multi Sensor & Range	Digital Display- Digital Setting Keys - O/P Relay/SSR - 1 Alarm - ON/OFF, P,PI,PD & PID Control .	3600
63	TM2-22RB	24VDC	Multi Sensor & Range	2 Channel Basic temp. Controller Module - 2 Relay output + 2 Alarm output - RS485 (Modbus) communication port	11700
64	TM2-22RE			2 Channel Expansion temp. Controller Module - 2 Relay output + 2 Alarm output	11000
65	TM4-N2RB			4 Channel Basic temp. Controller Module 4 Relay output - RS485 communication port .	14400
66	TM4-N2RE			4 Channel Expansion temp. Controller Module - 4 Relay output	13500



Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
 Phone : 02 26784844 – 02 26784838 , mob: 01000305877
 Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
 Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
 Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



PRESSURE SENSORS

No.	Model	Power & Connection	Fluid	Output	Range (Bar)	Description	Price L.E
01	PSAN-01CV-Rc1/8	12/24 VDC CONNECTOR	Air	NPN + 1to 5 VDC	0 to 10	1/8 Inch - Digital Pneumatic Standard pressure Sensor – Rear port	6300
02	PSA-V01-Rc1/8	12/24 VDC Cable	Air		-1 to 0		6300
03	PSA-01-Rc1/8	12/24 VDC Cable	Air		0 to 1		6300
04	PSA-1-Rc1/8	12/24 VDC Cable	Air		0 to 10		6300
05	PSA-C01-Rc1/8	12/24 VDC Cable	Air		-1 to 1	1/8 Inch - Digital Pneumatic Compound pressure Sensor – Rear port	6300
06	PSA-V01P-Rc1/8	12/24 VDC Cable	Air	PNP + 1to 5 VDC	-1 to 0	1/8 Inch - Digital Pneumatic Vacuum pressure Sensor – Rear port	6300
07	PSA-01P-Rc1/8	12/24 VDC Cable	Air		0 to 1	1/8 Inch - Digital Pneumatic Standard pressure Sensor – Rear port	6300
08	PSA-1P-Rc1/8	12/24 VDC Cable	Air		0 to 10		6300
09	PSA-C01P-Rc1/8	12/24 VDC Cable	Air		-1 to 1		6300



Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



Rotary Encoders

Number	Model	Shaft (mm)	Diameter (mm)	Power	Resolution	output	Price L.E
01	E50S8-50-3-T-1	8	50	5 to 24 Vdc±5%	50 P/R	A , B & Z	6400
02	E50S8-100-3-T-1	8	50		100 P/R	A , B & Z	6400
03	E50S8-150-3-T-1	8	50		150 P/R	A , B & Z	6400
04	E50S8-200-3-T-1	8	50		200 P/R	A , B & Z	6400
05	E50S8-250-3-T-1	8	50		250 P/R	A , B & Z	6400
06	E50S8-300-3-T-1	8	50		300 P/R	A , B & Z	6400
07	E50S8-360-3-T-1	8	50		360 P/R	A , B & Z	6400
08	E50S8-400-3-T-1	8	50		400 P/R	A , B & Z	6400
09	E50S8-500-3-T-1	8	50		500 P/R	A , B & Z	6400
10	E50S8-600-3-T-1	8	50		600 P/R	A , B & Z	7000
11	E50S8-800-3-T-1	8	50		800 P/R	A , B & Z	7500
12	E50S8-1000-3-T-1	8	50		1000 P/R	A , B & Z	7500
13	E50S8-1024-3-T-1	8	50		1024 P/R	A , B & Z	7500
14	E50S8-1500-3-T-1	8	50		1500 P/R	A , B & Z	7500
15	E50S8-2000-3-T-1	8	50	5 to 24 Vdc±5%	2000 P/R	A , B & Z	7500

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



16	E50S8-2048-3-T-1	8	50		2048 P/R	A , B & Z	7500
17	E50S8-2500-3-T-1	8	50		2500 P/R	A , B & Z	7500
18	E50S8-3000-3-T-1	8	50		3000 P/R	A , B & Z	7500
19	E50S8-3600-3-T-1	8	50		3600 P/R	A , B & Z	7500
20	E50S8-5000-3-T-1	8	50		5000 P/R	A , B & Z	8800
21	E50S8-50-6-L-5	8	50	5 Vdc	50 P/R	A , B, Z, A/, B/ & Z/	7500
22	E50S8-100-6-L-5	8	50		100 P/R	A , B, Z, A/, B/ & Z/	7500
23	E50S8-150-6-L-5	8	50		150 P/R	A , B, Z, A/, B/ & Z/	7500
24	E50S8-200-6-L-5	8	50		200 P/R	A , B, Z, A/, B/ & Z/	7500
25	E50S8-250-6-L-5	8	50		250 P/R	A , B, Z, A/, B/ & Z/	7500
26	E50S8-300-6-L-5	8	50		300 P/R	A , B, Z, A/, B/ & Z/	7500
27	E50S8-360-6-L-5	8	50		360 P/R	A , B, Z, A/, B/ & Z/	7500
28	E50S8-400-6-L-5	8	50		400 P/R	A , B, Z, A/, B/ & Z/	7500
29	E50S8-500-6-L-5	8	50		500 P/R	A , B, Z, A/, B/ & Z/	7500
30	E50S8-600-6-L-5	8	50		600 P/R	A , B, Z, A/, B/ & Z/	9000
31	E50S8-800-6-L-5	8	50	5 Vdc	800 P/R	A , B, Z, A/, B/ & Z/	9000
32	E50S8-1000-6-L-5	8	50		1000 P/R	A , B, Z, A/, B/ & Z/	9000
33	E50S8-1024-6-L-5	8	50		1024 P/R	A , B, Z, A/, B/ & Z/	9000
34	E50S8-1500-6-L-5	8	50		1500 P/R	A , B, Z, A/, B/ & Z/	9000
35	E50S8-2000-6-L-5	8	50		2000 P/R	A , B, Z, A/, B/ & Z/	9000

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo

Phone : 02 26784844 – 02 26784838 , mob: 01000305877

Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG






Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt

Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840

Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



36	E50S8-2048-6-L-5	8	50		2048 P/R	A , B, Z, A/, B/ & Z/	9000
37	E50S8-2500-6-L-5	8	50		2500 P/R	A , B, Z, A/, B/ & Z/	9000
38	E50S8-3000-6-L-5	8	50		3000 P/R	A , B, Z, A/, B/ & Z/	9000
39	E50S8-3600-6-L-5	8	50		3600 P/R	A , B, Z, A/, B/ & Z/	9000
40	E50S8-5000-6-L-5	8	50		5000 P/R	A , B, Z, A/, B/ & Z/	11000
41	ENC-1-1-T-24	Wheel	-	12 to 24 Vdc	1 mm/P	A , B & Z	7000
42	ENC-1-2-T-24	Wheel	-		1 Cm/P	A , B & Z	7000
43	ENC-1-3-T-24	Wheel	-		1 m/P	A , B & Z	7000

				
ENCODER SERIES	WHEEL ENCODER Mm,Cm & M	HOLLOW SHAFT	STANDARD ENCODER	WIRED ENCODER

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



PANEL METERS


No.	Model	Power & Size	Output	Description	Price L.E
01	MT4W-AA-40	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay 4 – 20ma	4 Digit AC Current Multimeter	9100
02	MT4W-AA-41	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay	4 Digit AC Current Multimeter	8000
03	MT4W-AA-4N	100 to 240 VAC 50/60 HZ W96 X H48 mm.	-	4 Digit AC Current Multimeter	4700
04	MT4W-AV-40	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay 4 – 20ma	4 Digit AC Voltage Multimeter	9100
05	MT4W-AV-41	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay	4 Digit AC Voltage Multimeter	8000
06	MT4W-AV-4N	100 to 240 VAC 50/60 HZ W96 X H48 mm.	-	4 Digit AC Voltage Multimeter	4700
07	MT4W-DA-40	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay 4 – 20ma	4 Digit DC Current Multimeter	8700
08	MT4W-DA-41	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay	4 Digit DC Current Multimeter	7600
09	MT4W-DA-4N	100 to 240 VAC 50/60 HZ W96 X H48 mm.	-	4 Digit DC Current Multimeter	3800
10	MT4W-DV-40	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay 4 – 20ma	4 Digit DC Voltage Multimeter	8700
11	MT4W-DV-41	100 to 240 VAC 50/60 HZ W96 X H48 mm.	3 Relay	4 Digit DC Voltage Multimeter	7600
12	MT4W-DV-4N	100 to 240 VAC 50/60 HZ W96 X H48 mm.	-	4 Digit DC Voltage Multimeter	3800
13	MT4Y-DV-4N	100 to 240 VAC 50/60 HZ W72 X H36 mm.	-	4 Digit DC Voltage Multimeter	4400

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



14	MT4Y-DA-4N	100 to 240 VAC 50/60 HZ W72 X H36 mm.	-	4 Digit DC Voltage Multimeter	4400
15	MP5M-42	100 to 240 VAC 50/60 HZ W72 X H72 mm	Relay NPN	5 Digit Pulse Meter – Built in 12 VDC 80 ma power supply	14700
16	MP5M-4N	100 to 240 VAC 50/60 HZ W72 X H72 mm	-	5 Digit Pulse Meter– Built in 12 VDC 80 ma Power Supply	9400
17	MP5W-41	100 to 240 VAC 50/60 HZ W96 X H48 mm	Relay	5 Digit Pulse Meter - Built in 12 VDC 80 ma Power Supply	10300
18	MP5W-4N	100 to 240 VAC 50/60 HZ W96 X H48 mm	-	5 Digit PULSE METER - Built in 12 VDC 80 ma Power Supply	7000



Power Supplies				
No.	Model	I/P	O/P	Price L.E
01	SPB-060-24	100 TO 240 VAC	24 VDC - 2.5A – 60W	2500
02	SPB-120-24	100 TO 240 VAC	24 VDC - 5A – 120W	4300
03	SPB-240-24	100 TO 240 VAC	24 VDC - 10A – 240W	7400

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG





SOLID STATE RELAY AND POWER CONTROLLERS

No.	Model	Description	Price L.E
01	SR1-1225	Single Phase Heat Sink Separated type SSR Input Voltage : 4 to 30 Vdc , Load Voltage : 24 to 240 VAC Load Current : 25 A	1000
02	SR1-1240	Single Phase Heat Sink Separated Type SSR Input Voltage : 4 to 30 Vdc , Load Voltage : 24 to 240 VAC Load Current : 40 A	1200
03	SR1-1250	Single Phase Heat Sink Separated Type SSR Input Voltage : 4 to 30 Vdc , Load Voltage : 24 to 240 VAC Load Current : 50 A	1800
04	SR1-1275	Single Phase Heat Sink Separated Type SSR Input Voltage : 4 to 30 Vdc , Load Voltage : 24 to 240 VAC Load Current : 75 A	2200
05	SR1-1440	Single Phase Heat Sink Separated Type SSR Input Voltage : 4 to 30 Vdc , Load Voltage : 48 to 480 VAC Load Current : 40 A	2000
06	SR1-4225	Single Phase Heat sink Separated Type SSR Input Voltage : 90 to 240 Vdc ,load current=25A Load Voltage : 24 to 240 Vac	1200
07	SR1-4240	Single Phase Heat sink Separated Type SSR Input Voltage : 90 to 240 Vdc , Load Voltage : 24 to 240 VAC Load Current : 40 A	1600

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



08	SR1-4250	Single Phase Heat Sink Separated Type SSR Input Voltage : 90 to 240 Vac Load Voltage : 24 to 240 Vac Load Current : 50 A	2500
09	SR1-4450	Single Phase Heat Sink Separated Type SSR Input Voltage : 90 to 240 Vac , Load Voltage : 48 to 480 VAC Load Current : 50 A	3200
10	SPC1-35-E	35A single phase (220V) solid state power control Various control signal (1-5VDC , DC 4-20mA) Various control modes with soft start function	8500
11	SPC1-50-E	50A single phase (220V) solid state power control Various control signal (1-5VDC , DC 4-20mA) Various control modes with soft start function	10700

Trough Beam Type Area Sensor

No.	Model	Voltage & Wiring	Case	Output	Sensing Height (mm)	Price L.E
01	BW20-16P	12 to 24 Vdc Cable connector	Aluminum	Light ON PNP	300	25650
02	BW20-16			Light ON NPN		26650
03	BW20-20P			Light ON PNP	380	31200
04	BW20-20			Light ON NPN		34200
05	BW20-32P			Light ON PNP	620	47600
06	BW20-32			Light ON NPN		50600
07	BW20-40P			Light ON PNP	780	58600
08	BW20-40			Light ON NPN		62600
09	BW20-48P			Light ON PNP	980	69600
10	BW20-48			Light ON NPN		72600

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



Motion Devices (Motors & Drives)

No.	Model	Description	Price L.E
01	MD5-ND14	1 Axis constant current drive for 5 phase stepper motor– 20~35VDC – Maximum run current 1.5 A/phase	12960
02	MD5-HD14	1 Axis constant current drive for 5 phase stepper motor– 20~35VDC – Maximum run current 1.4 A/phase	16000
03	MD5-HF14	1 Axis constant current drive for 5 phase stepper motor– 100~200Vac – Maximum run current 1.4 A/phase	22000
04	MD5-HF28	1 Axis constant current drive for 5 phase stepper motor– 100~200Vac – Maximum run current 2.8 A/phase	32000
05	AI-M-20MA	20mm X 20mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 4000 PPR , A , B, Z, A/, B/ & Z/, 0.183 Kgf.cm Holding Torque , Applied drives AiS-D-20MA & AiC-D-20MA .	25000
06	AI-M-20LA	20mm X 20mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 4000 PPR , A , B, Z, A/, B/ & Z/, 0.357 Kgf.cm Holding Torque , Applied drives AiS-D-20LA & AiC-D-20LA .	26000
07	AI-M-28SB	28mmX28mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 0.51 Kgf.cm Holding Torque , Applied drives AiS-D-28SB & AiC-D-28SB .	26200
08	AI-M-28MB	28mmX28mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 1.42 Kgf.cm Holding Torque , Applied drives AiS-D-28MB & AiC-D-28MB .	27000
09	AI-M-28LB	28mmX28mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 1.63 Kgf.cm Holding Torque , Applied drives AiS-D-28LB & AiC-D-28LB .	27800
10	AI-M-35SB	35mmX35mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 0.714 Kgf.cm Holding Torque , Applied drives AiS-D-35SB & AiC-D-35SB .	23000
11	AI-M-35MB	35mmX35mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 1.326 Kgf.cm Holding Torque , Applied drives AiS-D-35MB & AiC-D-35MB .	24000
12	AI-M-35LB	35mm X 35mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 16000 PPR , A , B, Z, A/, B/ & Z/, 3.162 Kgf.cm Holding Torque , Applied drives AiS-D-35LB & AiC-D-35LB .	24500
13	AI-M-42SA	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 2.55 Kgf.cm Holding Torque , Applied drives AiS-D-42SA & AiC-D-42SA .	19600

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



14	AI-M-42MA	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 4.08 Kgf.cm Holding Torque , Applied drives AiS-D-42MA & AiC-D-42MA .	20400
15	AI-M-42LA	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 4.89 Kgf.cm Holding Torque , Applied drives AiS-D-42LA & AiC-D-42LA .	21200
16	AI-M-56SA	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 6.12 Kgf.cm Holding Torque , Applied drives AiS-D-56SA & AiC-D-56SA .	21500
17	AI-M-56MA	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 12.24 Kgf.cm Holding Torque , Applied drives AiS-D-56MA & AiC-D-56MA .	22300
18	AI-M-56LA	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 20.39 Kgf.cm Holding Torque , Applied drives AiS-D-56LA & AiC-D-56LA .	23000
19	AI-M-60SA	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 11.22 Kgf.cm Holding Torque , Applied drives AiS-D-60SA & AiC-D-60SA .	23400
20	AI-M-60MA	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 22.43 Kgf.cm Holding Torque , Applied drives AiS-D-60MA & AiC-D-60MA .	24200
21	AI-M-60LA	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 29.57 Kgf.cm Holding Torque , Applied drives AiS-D-60LA & AiC-D-60LA .	25000
22	AI-M-42SA-B	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 2.55 Kgf.cm Holding Torque , Applied drives AiS-D-42SA-B & AiC-D-42SA-B , Built in brake .	41000
23	AI-M-42MA-B	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 4.08 Kgf.cm Holding Torque , Applied drives AiS-D-42MA-B & AiC-D-42MA-B , Built in brake .	42000
24	AI-M-42LA-B	42mmX42mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 4.89 Kgf.cm Holding Torque , Applied drives AiS-D-42LA-B & AiC-D-42LA-B , Built in brake .	42500
25	AI-M-56SA-B	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 6.12 Kgf.cm Holding Torque , Applied drives AiS-D-56SA-B & AiC-D-56SA-B , Built in brake .	42800
26	AI-M-56MA-B	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 12.24 Kgf.cm Holding Torque , Applied drives AiS-D-56MA-B & AiC-D-56MA-B , Built in brake .	43600
27	AI-M-56LA-B	56mmX56mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 20.39 Kgf.cm Holding Torque , Applied drives AiS-D-56LA-B & AiC-D-56LA-B , Built in brake .	44400
28	AI-M-60SA-B	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 11.22 Kgf.cm Holding Torque , Applied drives AiS-D-60SA-B & AiC-D-60SA-B , Built in brake .	44700

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



29	AI-M-60MA-B	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 22.43 Kgf.cm Holding Torque , Applied drives AiS-D-60MA-B & AiC-D-60MA-B , Built in brake.	45500
30	AI-M-60LA-B	60mmX60mm frame , Shaft type 2-phase , Closed loop , 1.8/0.9 step angle , 10000 PPR , A , B, Z, A/, B/ & Z/, 29.57 Kgf.cm Holding Torque , Applied drives AiS-D-60LA-B & AiC-D-60LA-B , Built in brake .	46300

HMI

No.	Model	Description	Price L.E
01	GP-A070-T9D6	7 Inch Wide Screen 800X480 Pixel , TFT Color LCD Type , 24 VDC W 194*H 134*L35 mm .	27500
02	LP-A070-T9D6	7 Inch Wide Screen 800X480 Pixel , TFT Color LCD Type – Graphic panel W194*H134*L35 mm + Built in PLC 64 MB ,16 NPN input , 16 NPN output , 24 VDC.	34200
03	GP-A104-T9D8	10.4 Inch Wide Screen 800X600 Pixel , TFT Color LCD Type , 24 VDC ,W 273*H 212*L41.2 mm .	58000
04	LP-A104-T9D8	10.4 Inch Wide Screen 800X600 Pixel , TFT Color LCD Type – Graphic panel W273*H212*L41.2 mm + Built in PLC 64 MB 32 NPN input , 32 NPN output , 24 VDC.	68000

 	
INDUSTRIAL HMI	ADVANCED HMI

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
Phone : 02 26784844 – 02 26784838 , mob: 01000305877
Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



SOME OF AUTONICS WORLDWIDE PRODUCTS		
STEPPER MOTORS & DRIVES	METALIC AREA SENSORS	PLASTIC AREA SENSOR
STEPPER MOTORS & DRIVES	SENSORS AND CONTROLLERS	
INDUSTRIAL HMI	ADVANCED HMI	SOLID STATE RELAY

Company : Villa 67 – Narges 8 – Five Settlement - New Cairo
 Phone : 02 26784844 – 02 26784838 , mob: 01000305877
 Email : samah@alphagroup.com.eg WWW.AGIS.COM.EG

Branch : 11 Emad Eldin st. Down Town , Cairo , Egypt
 Tel & Fax : 02 25892461 / 62 / 63 / 64 , 01222821583 - 01021117840
 Email : fayaad@alphagroup.com.eg WWW.ALPHAGROUP.COM.EG



